



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

Respuestas

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $10 \div 3 =$ _____

2) $\frac{1}{8} =$ _____

3) $\frac{16}{20} =$ _____

4) $102 \div 19 =$ _____

5) $\frac{2}{17} =$ _____

6) $288 \div 27 =$ _____

7) $\frac{11}{13} =$ _____

8) $\frac{6}{16} =$ _____

9) $196 \div 30 =$ _____

10) $\frac{21}{24} =$ _____

11) $101 \div 15 =$ _____

12) $243 \div 26 =$ _____

13) $45 \div 18 =$ _____

14) $84 \div 22 =$ _____

15) $144 \div 14 =$ _____

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1190476$$

1) $10 \div 3 =$ 3

2) $\frac{1}{8} =$ $2 \times 2 \times 2$

3) $\frac{16}{20} =$ 5

4) $102 \div 19 =$ 19

5) $\frac{2}{17} =$ 17

6) $288 \div 27 =$ 3

7) $\frac{11}{13} =$ 13

8) $\frac{6}{16} =$ $2 \times 2 \times 2$

9) $196 \div 30 =$ 3×5

10) $\frac{21}{24} =$ $2 \times 2 \times 2$

11) $101 \div 15 =$ 3×5

12) $243 \div 26 =$ 2×13

13) $45 \div 18 =$ 2

14) $84 \div 22 =$ 11

15) $144 \div 14 =$ 7

Respuestas1. R2. T3. T4. R5. R6. R7. R8. T9. R10. T11. R12. R13. T14. R15. R



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

Respuestas

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $\frac{2}{5} =$ _____

2) $47 \div 9 =$ _____

3) $141 \div 16 =$ _____

4) $108 \div 11 =$ _____

5) $\frac{9}{17} =$ _____

6) $\frac{12}{28} =$ _____

7) $\frac{8}{20} =$ _____

8) $\frac{2}{26} =$ _____

9) $7 \div 2 =$ _____

10) $151 \div 30 =$ _____

11) $\frac{10}{12} =$ _____

12) $\frac{12}{13} =$ _____

13) $\frac{4}{14} =$ _____

14) $92 \div 21 =$ _____

15) $10 \div 4 =$ _____

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $\frac{2}{5} = \underline{5}$

2) $47 \div 9 = \underline{3 \times 3}$

3) $141 \div 16 = \underline{2 \times 2 \times 2 \times 2}$

4) $108 \div 11 = \underline{11}$

5) $\frac{9}{17} = \underline{17}$

6) $\frac{12}{28} = \underline{7}$

7) $\frac{8}{20} = \underline{5}$

8) $\frac{2}{26} = \underline{13}$

9) $7 \div 2 = \underline{2}$

10) $151 \div 30 = \underline{2 \times 3 \times 5}$

11) $\frac{10}{12} = \underline{2 \times 3}$

12) $\frac{12}{13} = \underline{13}$

13) $\frac{4}{14} = \underline{7}$

14) $92 \div 21 = \underline{3 \times 7}$

15) $10 \div 4 = \underline{2}$

Respuestas1. **T**2. **R**3. **T**4. **R**5. **R**6. **R**7. **T**8. **R**9. **T**10. **R**11. **R**12. **R**13. **R**14. **R**15. **T**



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

Respuestas

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $31 \div 3 =$ _____

2) $\frac{1}{2} =$ _____

3) $107 \div 28 =$ _____

4) $\frac{4}{7} =$ _____

5) $\frac{5}{13} =$ _____

6) $\frac{7}{22} =$ _____

7) $153 \div 25 =$ _____

8) $271 \div 26 =$ _____

9) $99 \div 24 =$ _____

10) $\frac{7}{12} =$ _____

11) $\frac{1}{4} =$ _____

12) $166 \div 27 =$ _____

13) $\frac{7}{8} =$ _____

14) $\frac{7}{15} =$ _____

15) $\frac{16}{23} =$ _____

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $31 \div 3 = \underline{3}$

2) $\frac{1}{2} = \underline{2}$

3) $107 \div 28 = \underline{2 \times 2 \times 7}$

4) $\frac{4}{7} = \underline{7}$

5) $\frac{5}{13} = \underline{13}$

6) $\frac{7}{22} = \underline{2 \times 11}$

7) $153 \div 25 = \underline{5 \times 5}$

8) $271 \div 26 = \underline{2 \times 13}$

9) $99 \div 24 = \underline{2 \times 2 \times 2}$

10) $\frac{7}{12} = \underline{2 \times 2 \times 3}$

11) $\frac{1}{4} = \underline{2 \times 2}$

12) $166 \div 27 = \underline{3 \times 3 \times 3}$

13) $\frac{7}{8} = \underline{2 \times 2 \times 2}$

14) $\frac{7}{15} = \underline{3 \times 5}$

15) $\frac{16}{23} = \underline{23}$

Respuestas1. **R**2. **T**3. **R**4. **R**5. **R**6. **R**7. **T**8. **R**9. **T**10. **R**11. **T**12. **R**13. **T**14. **R**15. **R**



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

- 1) $\frac{18}{27} =$ _____
- 2) $\frac{3}{8} =$ _____
- 3) $196 \div 24 =$ _____
- 4) $\frac{10}{28} =$ _____
- 5) $71 \div 22 =$ _____
- 6) $82 \div 14 =$ _____
- 7) $60 \div 21 =$ _____
- 8) $\frac{3}{5} =$ _____
- 9) $15 \div 4 =$ _____
- 10) $\frac{1}{2} =$ _____
- 11) $33 \div 7 =$ _____
- 12) $\frac{4}{6} =$ _____
- 13) $\frac{14}{30} =$ _____
- 14) $\frac{2}{17} =$ _____
- 15) $80 \div 9 =$ _____

Respuestas

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $\frac{18}{27} = \underline{3}$

2) $\frac{3}{8} = \underline{2 \times 2 \times 2}$

3) $196 \div 24 = \underline{2 \times 3}$

4) $\frac{10}{28} = \underline{2 \times 7}$

5) $71 \div 22 = \underline{2 \times 11}$

6) $82 \div 14 = \underline{7}$

7) $60 \div 21 = \underline{7}$

8) $\frac{3}{5} = \underline{5}$

9) $15 \div 4 = \underline{2 \times 2}$

10) $\frac{1}{2} = \underline{2}$

11) $33 \div 7 = \underline{7}$

12) $\frac{4}{6} = \underline{3}$

13) $\frac{14}{30} = \underline{3 \times 5}$

14) $\frac{2}{17} = \underline{17}$

15) $80 \div 9 = \underline{3 \times 3}$

Respuestas1. **R**2. **T**3. **R**4. **R**5. **R**6. **R**7. **R**8. **T**9. **T**10. **T**11. **R**12. **R**13. **R**14. **R**15. **R**



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

Respuestas

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $136 \div 19 =$ _____

2) $\frac{7}{26} =$ _____

3) $8 \div 3 =$ _____

4) $\frac{5}{23} =$ _____

5) $79 \div 13 =$ _____

6) $\frac{6}{12} =$ _____

7) $48 \div 21 =$ _____

8) $\frac{24}{27} =$ _____

9) $\frac{8}{29} =$ _____

10) $\frac{5}{30} =$ _____

11) $172 \div 28 =$ _____

12) $\frac{4}{10} =$ _____

13) $36 \div 11 =$ _____

14) $\frac{2}{8} =$ _____

15) $\frac{8}{16} =$ _____

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $136 \div 19 =$ 19

2) $\frac{7}{26} =$ 2×13

3) $8 \div 3 =$ 3

4) $\frac{5}{23} =$ 23

5) $79 \div 13 =$ 13

6) $\frac{6}{12} =$ 2

7) $48 \div 21 =$ 7

8) $\frac{24}{27} =$ 3×3

9) $\frac{8}{29} =$ 29

10) $\frac{5}{30} =$ 2×3

11) $172 \div 28 =$ 7

12) $\frac{4}{10} =$ 5

13) $36 \div 11 =$ 11

14) $\frac{2}{8} =$ 2×2

15) $\frac{8}{16} =$ 2

Respuestas1. R2. R3. R4. R5. R6. T7. R8. R9. R10. R11. R12. T13. R14. T15. T



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

Respuestas

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $\frac{5}{23} =$ _____

2) $\frac{21}{25} =$ _____

3) $\frac{7}{13} =$ _____

4) $73 \div 30 =$ _____

5) $61 \div 7 =$ _____

6) $\frac{10}{24} =$ _____

7) $77 \div 8 =$ _____

8) $\frac{3}{4} =$ _____

9) $\frac{8}{9} =$ _____

10) $107 \div 15 =$ _____

11) $40 \div 6 =$ _____

12) $\frac{16}{29} =$ _____

13) $139 \div 22 =$ _____

14) $86 \div 26 =$ _____

15) $\frac{13}{21} =$ _____

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

- 1) $\frac{5}{23} =$ 23
- 2) $\frac{21}{25} =$ 5×5
- 3) $\frac{7}{13} =$ 13
- 4) $73 \div 30 =$ 2×3×5
- 5) $61 \div 7 =$ 7
- 6) $\frac{10}{24} =$ 2×2×3
- 7) $77 \div 8 =$ 2×2×2
- 8) $\frac{3}{4} =$ 2×2
- 9) $\frac{8}{9} =$ 3×3
- 10) $107 \div 15 =$ 3×5
- 11) $40 \div 6 =$ 3
- 12) $\frac{16}{29} =$ 29
- 13) $139 \div 22 =$ 2×11
- 14) $86 \div 26 =$ 13
- 15) $\frac{13}{21} =$ 3×7

Respuestas

1. R
2. T
3. R
4. R
5. R
6. R
7. T
8. T
9. R
10. R
11. R
12. R
13. R
14. R
15. R



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

Respuestas

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $195 \div 30 =$ _____

2) $161 \div 18 =$ _____

3) $49 \div 24 =$ _____

4) $\frac{1}{2} =$ _____

5) $46 \div 22 =$ _____

6) $114 \div 11 =$ _____

7) $230 \div 28 =$ _____

8) $\frac{1}{3} =$ _____

9) $\frac{14}{21} =$ _____

10) $168 \div 17 =$ _____

11) $\frac{3}{4} =$ _____

12) $\frac{6}{10} =$ _____

13) $\frac{11}{25} =$ _____

14) $\frac{6}{9} =$ _____

15) $73 \div 12 =$ _____

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.11\overline{90476}$$

1) $195 \div 30 =$ 2

2) $161 \div 18 =$ $2 \times 3 \times 3$

3) $49 \div 24 =$ $2 \times 2 \times 2 \times 3$

4) $\frac{1}{2} =$ 2

5) $46 \div 22 =$ 11

6) $114 \div 11 =$ 11

7) $230 \div 28 =$ 2×7

8) $\frac{1}{3} =$ 3

9) $\frac{14}{21} =$ 3

10) $168 \div 17 =$ 17

11) $\frac{3}{4} =$ 2×2

12) $\frac{6}{10} =$ 5

13) $\frac{11}{25} =$ 5×5

14) $\frac{6}{9} =$ 3

15) $73 \div 12 =$ $2 \times 2 \times 3$

Respuestas1. T2. R3. R4. T5. R6. R7. R8. R9. R10. R11. T12. T13. T14. R15. R



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

Respuestas

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $\frac{7}{30} =$ _____

2) $\frac{12}{13} =$ _____

3) $182 \div 25 =$ _____

4) $\frac{4}{12} =$ _____

5) $\frac{24}{29} =$ _____

6) $201 \div 22 =$ _____

7) $82 \div 8 =$ _____

8) $\frac{2}{3} =$ _____

9) $51 \div 21 =$ _____

10) $\frac{6}{16} =$ _____

11) $255 \div 26 =$ _____

12) $\frac{1}{5} =$ _____

13) $\frac{3}{4} =$ _____

14) $148 \div 15 =$ _____

15) $\frac{18}{28} =$ _____

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

Respuestas

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $\frac{7}{30} = \underline{2 \times 3 \times 5}$

2) $\frac{12}{13} = \underline{13}$

3) $182 \div 25 = \underline{5 \times 5}$

4) $\frac{4}{12} = \underline{3}$

5) $\frac{24}{29} = \underline{29}$

6) $201 \div 22 = \underline{2 \times 11}$

7) $82 \div 8 = \underline{2 \times 2}$

8) $\frac{2}{3} = \underline{3}$

9) $51 \div 21 = \underline{7}$

10) $\frac{6}{16} = \underline{2 \times 2 \times 2}$

11) $255 \div 26 = \underline{2 \times 13}$

12) $\frac{1}{5} = \underline{5}$

13) $\frac{3}{4} = \underline{2 \times 2}$

14) $148 \div 15 = \underline{3 \times 5}$

15) $\frac{18}{28} = \underline{2 \times 7}$

1. **R**

2. **R**

3. **T**

4. **R**

5. **R**

6. **R**

7. **T**

8. **R**

9. **R**

10. **T**

11. **R**

12. **T**

13. **T**

14. **R**

15. **R**



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

Respuestas

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $\frac{22}{27} =$ _____

2) $\frac{8}{28} =$ _____

3) $\frac{10}{20} =$ _____

4) $\frac{5}{16} =$ _____

5) $62 \div 13 =$ _____

6) $63 \div 6 =$ _____

7) $73 \div 11 =$ _____

8) $\frac{17}{29} =$ _____

9) $\frac{10}{19} =$ _____

10) $\frac{17}{24} =$ _____

11) $78 \div 15 =$ _____

12) $206 \div 21 =$ _____

13) $101 \div 10 =$ _____

14) $64 \div 7 =$ _____

15) $\frac{3}{26} =$ _____

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $\frac{22}{27} =$ 3×3×3

2) $\frac{8}{28} =$ 7

3) $\frac{10}{20} =$ 2

4) $\frac{5}{16} =$ 2×2×2×2

5) $62 \div 13 =$ 13

6) $63 \div 6 =$ 2

7) $73 \div 11 =$ 11

8) $\frac{17}{29} =$ 29

9) $\frac{10}{19} =$ 19

10) $\frac{17}{24} =$ 2×2×2×3

11) $78 \div 15 =$ 5

12) $206 \div 21 =$ 3×7

13) $101 \div 10 =$ 2×5

14) $64 \div 7 =$ 7

15) $\frac{3}{26} =$ 2×13

Respuestas1. R2. R3. T4. T5. R6. T7. R8. R9. R10. R11. T12. R13. T14. R15. R



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

Respuestas

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1) $156 \div 16 =$ _____

2) $\frac{20}{29} =$ _____

3) $68 \div 25 =$ _____

4) $\frac{8}{11} =$ _____

5) $202 \div 20 =$ _____

6) $\frac{2}{3} =$ _____

7) $\frac{4}{23} =$ _____

8) $\frac{8}{9} =$ _____

9) $186 \div 24 =$ _____

10) $\frac{2}{6} =$ _____

11) $127 \div 26 =$ _____

12) $\frac{7}{21} =$ _____

13) $36 \div 17 =$ _____

14) $\frac{3}{4} =$ _____

15) $7 \div 2 =$ _____

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____



Determine si cada problema, cuando se convierte a decimal, dará como resultado un decimal periódico(P) o exacto (E).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.11\overline{90476}$$

1) $156 \div 16 = \underline{2 \times 2}$

2) $\frac{20}{29} = \underline{29}$

3) $68 \div 25 = \underline{5 \times 5}$

4) $\frac{8}{11} = \underline{11}$

5) $202 \div 20 = \underline{2 \times 5}$

6) $\frac{2}{3} = \underline{3}$

7) $\frac{4}{23} = \underline{23}$

8) $\frac{8}{9} = \underline{3 \times 3}$

9) $186 \div 24 = \underline{2 \times 2}$

10) $\frac{2}{6} = \underline{3}$

11) $127 \div 26 = \underline{2 \times 13}$

12) $\frac{7}{21} = \underline{3}$

13) $36 \div 17 = \underline{17}$

14) $\frac{3}{4} = \underline{2 \times 2}$

15) $7 \div 2 = \underline{2}$

Respuestas1. **T**2. **R**3. **T**4. **R**5. **T**6. **R**7. **R**8. **R**9. **T**10. **R**11. **R**12. **R**13. **R**14. **T**15. **T**